



# Capreno

## APPLICATION GUIDELINES

With the longest-lasting residual of any post, Capreno® postemergence corn herbicide delivers season-long control of the toughest weeds to deliver an amazing end-of-season clean.

- Capreno kills glyphosate-, ALS-, PPO-, auxin- and triazine-resistant weeds.
  - Applying glyphosate with Capreno can help break the weed resistance cycle while providing enhanced grass control.
  - Tankmix Capreno with DiFlexx™ herbicide on Roundup Ready® corn hybrids or Liberty® herbicide on LibertyLink® corn hybrids for use on corn to optimize weed resistance management.
- Capreno contains multiple modes of action and is strong enough to achieve one-pass weed control.
- Tankmix Capreno with Stratego® YLD fungicide from V4 through V6 for excellent early season disease control, contributing to late-season crop health, higher yield potential and improved stalk quality.
- Capreno delivers burndown control of grass and broadleaf weeds, as well as residual weed control up to crop canopy.
- Bayer’s proprietary safener found in Capreno enables plants to better withstand herbicidal activity.

### How to Spray

<b>Rate</b>	3 fl oz/A when used alone or tankmixed with Liberty or glyphosate
<b>Timing</b>	<ul style="list-style-type: none"> <li>• Emergence through V6</li> <li>• Spray weeds before they reach 4 inches in height for better protection of the crop yield</li> <li>• Maximum of two applications per growing season at least 14 days apart</li> </ul>
<b>Water</b>	Minimum 10 gal/A
<b>Adjuvants</b>	<ul style="list-style-type: none"> <li>• Crop Oil Concentrate (COC 1% v/v, 1.25 pt/A) + Nitrogen source (UAN 1.5 qt/A or AMS 8.5 lb/100 gal, 1.5 lb/A min)</li> <li>• Glyphosate-compatible surfactant (i.e., HSOC) should be used with glyphosate tankmixes</li> <li>• COC may be substituted with COC-based HSOC (0.5% v/v)</li> </ul>
<b>Rainfast</b>	1 hour
<b>Most Important Tankmix Partners</b>	<ul style="list-style-type: none"> <li>• Atrazine</li> <li>• DiFlexx</li> <li>• Liberty herbicide</li> <li>• Glyphosate</li> </ul>

**Capreno is labeled to control more than 65 grass and broadleaf weeds, including fall panicum, giant foxtail, yellow foxtail, green foxtail and other weeds exhibiting resistance to glyphosate, ALS, PPO, auxin triazine or dicamba chemistries.**

### Broadleaf Weeds Controlled

- Amaranth, Palmer
- Amaranth, Powell
- Amaranth, spiny
- Amaranth, tumbleweed
- Buckwheat, wild<sup>1</sup>
- Buffalobur<sup>1</sup>
- Burcucumber<sup>1</sup>
- Carpetweed
- Chickweed, common
- Cocklebur, common
- Dandelion<sup>1</sup>
- Deadnettle, purple
- Dock, curly<sup>1</sup>
- Galinsoga
- Hemp
- Henbit
- Jimsonweed
- Knotweed, prostrate<sup>1</sup>
- Kochia
- Ladythumb
- Lambsquarters, common
- Mallow, Venice
- Maretail/horseweed<sup>1</sup>
- Melon, smell
- Morningglory, cotton<sup>1</sup>
- Morningglory, ivyleaf<sup>1</sup>
- Morningglory, pitted<sup>1</sup>
- Mustard, wild
- Nightshade, black
- Nightshade, Eastern black
- Nightshade, hairy
- Pigweed, redroot
- Pigweed, smooth
- Plantain, blackseed
- Pokeweed, common<sup>1</sup>
- Potato, volunteer
- Purslane, common<sup>1</sup>
- Pusley, Florida<sup>2</sup>
- Ragweed, common
- Ragweed, giant
- Sesbania, hemp
- Shepherdspurse
- Sicklepod<sup>1</sup>
- Sida, prickly (teaweed)
- Smartweed, pale
- Smartweed, Pennsylvania
- Sunflower, common
- Thistle, Canada<sup>1</sup> (suppression)
- Thistle, Russian
- Velvetleaf
- Waterhemp, common
- Waterhemp, tall

### Grass Weeds Controlled

- Barnyardgrass
- Crabgrass, large
- Crabgrass, smooth<sup>1</sup>
- Cupgrass, woolly<sup>1</sup>
- Foxtail, giant
- Foxtail, green
- Foxtail, yellow
- Goosegrass<sup>1</sup>
- Johnsongrass, seedling
- Junglerice
- Millet, wild proso
- Nutsedge, yellow<sup>1</sup>
- Oat, wild
- Panicum, fall
- Panicum, Texas
- Sandbur, field
- Shattercane/volunteer sorghum
- Signalgrass, broadleaf

<sup>1</sup>Partially controlled weeds will be stunted in growth and/or reduced in number as compared to nontreated areas; performance may not be commercially acceptable. The degree of weed control will vary with weed size, density, spray coverage and/or growth conditions.

<sup>2</sup>Apply before weed exceeds 2 inches in height.

BayerCropScience.us



Bayer CropScience

### BAYER CROPSCIENCE COMMITMENT

**Today and tomorrow, Bayer CropScience focuses on grower needs and innovation to deliver the most complete and effective corn and crop protection portfolio.**

**IMPORTANT:** This bulletin is not intended to provide adequate information for use of these products. Read the label before using these products. Observe all label directions and precautions while using these products.

©2015 Bayer CropScience LP, 2 T.W. Alexander Drive, Research Triangle Park, NC 27709. Always read and follow label instructions. Bayer (reg'd), the Bayer Cross (reg'd), Capreno®, DiFlexx™, Liberty®, LibertyLink® and Stratego® are trademarks of Bayer. Atrazine is a Restricted Use Pesticide. Capreno, DiFlexx, Liberty and Stratego are not registered in all states. Roundup Ready is a trademark of Monsanto used under license. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at [www.BayerCropScience.us](http://www.BayerCropScience.us)  
CR0815CAPRENA212V00R0