



APPLICATION GUIDELINES

Laudis[®] corn herbicide has the power to be tough on weeds.

- **Powerful Weed Control** - Laudis[®] herbicide delivers postemergence control of grass and broadleaf weeds. It is also effective on the toughest broadleaf weeds, including glyphosate-, PPO-, ALS- and dicamba-resistant weeds.
- **Resistance Management** - Laudis complements any weed-resistance management program, offering residual control properties that enhance the efficacy of other corn herbicides. Corn growers can look to Laudis to control resistant broadleaf weeds, including ragweed, pigweed, lambsquarters and waterhemp. Plus, it takes out resistant grasses, such as woolly cupgrass, foxtail and crabgrass.
- **Residual Control** - Laudis stays active in the soil during the growing season, offering residual control of grass and broadleaf weeds, but does not limit crop rotation opportunities to soybeans in the following season.

How to Spray

Rate	3 fl oz/A
Timing	Laudis herbicide can be applied postemergence up to the V9 growth stage for field corn, seed corn and popcorn. It can be applied up to the V7 growth stage for sweet corn. Best results are obtained when it is applied to young, actively growing weeds.
Group Number*	
Water	Minimum 10 gal/A; 15 gal/A if using Liberty [®]
Rainfast	1 hour
Tankmix Partners**	<ul style="list-style-type: none">• DiFlexx[®] herbicide• Liberty herbicide• Atrazine• Glyphosate

*For more information on herbicide group numbers and site-of-action options, visit IWillTakeAction.com

**See Laudis label for full listing of tankmix partners.

Laudis is labeled to control more than 68 grass and broadleaf weeds, including woolly cupgrass, ragweed, Palmer amaranth and other weeds exhibiting resistance to glyphosate, ALS, PPO, triazine and auxin-based herbicides.

Grass Weeds Controlled

Barnyardgrass	Johnsongrass, seedling
Crabgrass, large	Junglerice
Crabgrass, smooth ¹	Lovegrass, tufted
Cupgrass, woolly	Millet, wild proso
Foxtail, giant	Panicum, Texas
Foxtail, green ¹	Sandbur, field ¹
Foxtail, yellow	Shattercane
Goosegrass	Signalgrass, broadleaf

Broadleaf Weeds Controlled

Amaranth, Palmer	Mustard, wild
Amaranth, Powell	Nightshade, black
Amaranth, spiny	Nightshade, Eastern black
Amaranth, tumbleweed	Nightshade, hairy
Buckwheat, wild ²	Pigweed, redroot
Buffalobur	Pigweed, smooth
Burcucumber ¹	Pokeweed, common ¹
Carpetweed	Purslane, common ²
Chickweed, common	Pusley, Florida ³
Cocklebur, common	Ragweed, common
Dandelion ¹	Ragweed, giant
Deadnettle, purple	Sesbania, hemp
Dock, curly ¹	Shepherdspurse
Galinsoga	Sicklepod ²
Hemp	Sida, prickly ² (teaweed)
Henbit	Smartweed, pale
Jimsonweed	Smartweed, Pennsylvania
Knotweed, prostrate ¹	Sunflower, common
Kochia	Thistle, Canada ²
Ladysthumb	Thistle, Russian
Lambsquarters, common	Velvetleaf
Mallow, Venice	Volunteer, potato
Marestail/Horseweed ²	Volunteer, RR soybeans
Marshelder, common	Volunteer, soybeans
Morningglory, cotton ²	Waterhemp, common
Morningglory, ivyleaf ²	Waterhemp, tall
Morningglory, pitted ²	Wormwood, biennial

¹Partial control.

²Controlled with Laudis at 3 fl oz/A + atrazine min 0.5 lb AI/A.

³Apply before weed exceeds 2 inches in height.



BAYER COMMITMENT

Today and tomorrow, Bayer focuses on grower needs and innovation to deliver the most complete and effective corn and crop protection portfolio.

IMPORTANT: This bulletin is not intended to provide adequate information for use of this product. Read the label before using this product. Observe all label directions and precautions while using this product.